

PEEL HERE TO OPEN  
PRESS TO RESEAL

This Product May Only be Used to Control  
Moles and Pocket Gophers in Manual,  
Below-Ground Applications in Lawns

*Intended for Residential Use*

**KILLS POCKET GOPHERS and MOLES**

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions, use restrictions and use precautions.

#### USE RESTRICTIONS:

- This product may only be applied against the pests listed on this label, at the use sites listed on this label, and by the application methods listed on this label.
- This product may only be used to control pocket gophers and moles in manual, below-ground applications in lawns.
- Bait must be applied directly into the burrow or tunnel systems.
- Do not apply in gardens and areas where food or feed may become contaminated.

# GORDON'S<sup>®</sup> MOLE & GOPHER KILLER POISON PELLETS

#### ACTIVE INGREDIENT:

Zinc Phosphide

(CAS #1314-84-7) . . . . . 2%

OTHER INGREDIENTS: . . . . . 98%

TOTAL 100%

**KEEP OUT OF  
REACH OF CHILDREN  
CAUTION**

*See inside pages for complete Precautionary  
Statements and Directions for Use (including  
First Aid and Storage and Disposal).*

**NET CONTENTS: ONE POUND (454 grams)**

- Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.
- Do not apply this product by the use of an artificial burrow builder.
- Not to be sold in individual containers containing more than 1 lb. of product.

**APPLICATION DIRECTIONS FOR POCKET GOPHERS:** Apply bait to control pocket gophers using one of the two methods outlined below:

**Plug Removal Baiting:** Burrowing pocket gophers (*Thomomys spp.* and *Geomys spp.*) throw out low, fan shaped mounds on either side of their underground tunnel. These lateral tunnels coming to the surface are on the flat side of the fan and are plugged with soil. Using a long-handled spoon, carefully remove the plug. Insert one teaspoon of bait as far down as possible. Reclose opening, being careful not to cover bait with soil.

*Precautionary Statements and Directions for Use  
are continued on inside panel.*

517/3-2011 AP110910  
EPA REG. NO. 12455-30-33955  
EPA EST. NO. 2217-KS-2

**G pbi / GORDON  
CORPORATION**  
*An Employee-Owned Company*



**Main Runway Baiting:** To locate main runways, probe about 6 to 8 inches away from mounds by use of an iron bar, a strong stick, or other suitable implement. Resistance on probe will drop suddenly and probe will fall about two inches when main runway is entered. Carefully enlarge the opening to accommodate insertion of the bait. Insert one teaspoon of bait into each active tunnel. Carefully close the hole with a stone, sod, or soil. Take care not to cover bait with soil.

**APPLICATION DIRECTIONS FOR MOLES:** The presence of moles may be indicated by a network of surface ridges in the turf, by a series of conical mounds of earth pushed up from deep burrows.

**Surface Ridges:** Prior to treatment, determine which burrows are active according to one of the following two methods. Either press down a small section of the tunnel or remove a one-inch section of the tunnel's roof. Mark these sections and recheck in 24 hours. The burrow is considered active if the flattened runway has been raised up or if the roof has been repaired. Only treat active burrows.

Carefully punch a hole in the top of active tunnels, drop a teaspoonful amount of GORDON'S MOLE & GOPHER KILLER and carefully close the hole with sod or stone. Do

not collapse the runway again or allow loose soil to cover the bait. After a few days check to see if the burrows are still active according to one of the two methods described above. If so, repeat treatment.

**Conical Mounds:** Remove center plug from the conical mounds with a long-handled spoon and drop a teaspoonful amount of GORDON'S MOLE & GOPHER KILLER in the underground tunnel. Close opening with rock or sod. Do not allow loose dirt to cover bait.

**FOLLOW-UP:** Wearing waterproof gloves, collect and dispose of dead, exposed animals. Dispose of leftover bait in accordance with disposal instructions. Use detergent and hot water to wash spoons used for application into burrows. Do not use spoon for mixing, holding or transferring food or feed. If reinfestation does occur, repeat treatment.

### STORAGE AND DISPOSAL

**STORAGE:** Store only in original container in a dry place inaccessible to children and pets.

**DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for

*(cont. on next column)*

### STORAGE AND DISPOSAL *(cont.)*

recycling if available. **If partially filled:** Place in trash or call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### LIMITED WARRANTY AND DISCLAIMER

FOR USE ONLY AS DIRECTED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY STATEMENT cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.

**GORDON'S®**  
**MOLE & GOPHER**  
**KILLER**  
**POISON PELLETS**

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with eyes. Avoid breathing dust. Wear long-sleeved shirt and long pants, shoes plus socks and waterproof gloves. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash before reuse. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

**FIRST AID**

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact  
*(cont. on next column)*

**FIRST AID (cont.)**

1-877-800-5556 for emergency medical treatment information. If you experience signs and symptoms such as nausea, abdominal pain, tightness in chest, or weakness, see a physician immediately. For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

**If swallowed:**

- Call a poison control center or doctor immediately for treatment advice or transport the patient to the nearest hospital.
- Do not drink water.
- Do not administer anything by mouth or induce vomiting unless told to do so by the poison control center or doctor.

**If on skin or clothing:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**If inhaled:**

- Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

**TREATMENT FOR PET POISONING**

If animal eats bait, call veterinarian at once.

**NOTE TO PHYSICIAN OR VETERINARIAN**

Contains the phosphine-producing active, Zinc Phosphide. Probable mucosal damage may contraindicate the use of gastric lavage. For animals ingesting bait and/or showing poisoning signs, induce vomiting by using hydrogen peroxide. Sodium bicarbonate can be given orally to neutralize the stomach acidity. The stomach and intestinal tract can be evacuated, oxygen administered and cardiac and circulatory stimulants given.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to birds, fish and other wildlife. Wildlife feeding on treated bait may be killed. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water.

517/3-2011 AP110910  
EPA REG. NO. 12455-30-33955  
EPA EST. NO. 2217-KS-2



**DISTRIBUTED BY**  
**PBI/GORDON CORPORATION**  
**1217 WEST 12TH STREET**  
**KANSAS CITY, MISSOURI 64101**  
**www.pbigordon.com**