

Covers
8,800 Sq Ft

ORTHO[®]



BUG-GETA[®]

SNAIL & SLUG KILLER₁ MATA CARACOLES Y BABOSAS

**All Weather
Formula**

**Use around listed
fruits,
vegetables,
flowers, and
ornamentals**



Active Ingredient:	
Metaldehyde	3.25%
Other Ingredients	96.75%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional
precautionary statements.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION Ver el panel posterior para
avisos de precaución adicionales.

NET WT 2 lb / 907 g



THIS PESTICIDE MAY BE HARMFUL TO CHILDREN AND
FATAL TO DOMESTIC ANIMALS IF INGESTED. EXCLUDE
CHILDREN AND PETS FROM TREATED AREAS UNTIL THE APPLIED
PRODUCT IS NO LONGER VISIBLE. FOR ADDITIONAL PRECAUTIONARY
MEASURES, SEE DIRECTIONS FOR USE AND STORAGE AND DISPOSAL.





BUG-GETA.

SNAIL & SLUG KILLER

Easy-Pour, Water-proof Package
All Weather Formula

Stronger Attractant. Natural plant oil attractants are added to each coated pellet for the strongest attractability.

PRODUCT INFORMATION Ortho® Bug-Geta® Snail & Slug Killer, is a soil surface treatment for control of snails and slugs around listed vegetable crops and ornamental gardens. When applied as directed, Ortho Bug-Geta Snail & Slug Killer, will withstand rain and sprinkling and will offer protection to gardens for several weeks.

DIRECTIONS FOR USE It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use in accordance with precautionary statements and directions for use. Not for use on plants being grown for sale or other commercial use, or for commercial seed production or research purposes.

PRECAUTIONS AND RESTRICTIONS - This pesticide may be harmful to children and fatal to dogs and other domestic animals if ingested. Children and dogs may be attracted to metaldehyde products, both in the package and when applied. Children and domestic animals must be kept out of treated areas from the start of application until the applied product is no longer visible. - Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. - Applications to turf and dichondra are prohibited. Application is permitted only to non-turf areas (i.e., on soil or mulch) directly surrounding plants listed for use on the label. - Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within one foot of vegetable plants or fruit-bearing plants not listed on this label. - Avoid applying pellets in piles that may attract pets. - Certain cultural practices may reduce damage from snails and slugs. These practices include: eliminating hiding places by removing leaf litter and debris in the garden; removing slugs and snails during daylight hours from nearby leaf litter, mulch, and other protected areas; watering in the morning to reduce humidity during the night when snail and slug are active. - Do not apply to dry soil. Make applications following irrigation. - Do not re-water for 48 hours after application. - Apply any time of day, but evening applications are preferred. - Do not reuse measuring utensils for food use. - This product may be harmful to Daylilies and Clematis. Do not use on these plants.

APPLICATION INFORMATION

Apply pellets as a barrier around plants by distributing pellets evenly in a line at the following rates, pellets per linear foot.

Crop Use Site	Maximum Pellets per Linear Foot	Minimum Days Between Retreatment	Maximum Number of Applications per Growing Season
Artichoke - perennial - annual	20	18	6
Berries: Caneberries (bingeberry, black raspberry, blackberry, boysenberry, dewberry, lowberr, marionberry, olallieberry, red raspberry, youngberry), and Other Berries (cranberry, currant, elderberry, gooseberry, huckleberry, loganberry, lingonberry, juneberry, salal), Blueberries	18	14	3
Citrus	20	14	6
Tomatoes	20	14	3
Vegetables: Lettuce, Cole Crops and Other Leafy Greens (broccoli, Brussels sprouts, cabbage, cauliflower, cavalo, broccolo, collards, kale, kohlrabi, mizuna, mustard greens, mustard spinach, rape greens)	20	14	3
Strawberries	20	14	3
Ornamentals	20	21	6

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: This product can be harmful to children and other domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

CONTAINER DISPOSAL: If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Harmful if inhaled. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid breathing dust. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

IMPORTANT: This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible.

FIRST AID

IF SWALLOWED	<ul style="list-style-type: none"> Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Poisoning Hotline: Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control center or doctor or veterinarian, or when going for treatment. For information on this pesticide product (including health concerns, medical emergencies, treatment advice, or pesticide incidents), call the National Pesticide Telecommunications Center at 1-800-858-7378.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

Note to Physician: Dust inhalation is usual route of accidental exposure; the product is rarely ingested. Treatment is symptomatic and supportive.

Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported.

Note to Veterinarian: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion is suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit adsorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, mammals, and mollusks (e.g. clams, oysters, scallops, mussels). Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected. Apply this product only around gardens and ornamental plants. Do not contaminate water when disposing of equipment or container wash water. Collect and remove any product that is spilled.

INFORMACION DE APLICACION:

Aplique las bolitas de cebo como una barrera alrededor de las plantas distribuyéndolas uniformemente en una línea en la medida de bolitas de cebo por pie lineal que se muestra a continuación.

Sitio de cultivo	Máximo de bolitas por pie lineal	Mínimo de días entre tratamientos	Número máximo de aplicaciones por temporada de cultivo
Alcachofas - perennes - anuales	20 20	18 18	6 2
Bayas: Zarcas (bingeberry; framboesas negras, moras, zarza de Boysen, zarza pajatera, lowberr, mora Marion, zarza olalla, framboesas rojas, zarza de Young), y otras bayas (arandano rojo, grosella, baya del sálico, grosella espinosa, zarzamora, loganas, arándano de arbusto bajo o montañés, baya de junio, gaultheria), arándano azul	18	14	3
Citricos	20	14	6
Tomates	20	14	3
Vegetales: Lechuga, cultivos de brásicas (coles) y otros vegetales de hoja (brócoli, col de Bruselas, coles, coliflor, cavalo, brócoli, berta, col rizada, colirabano, mizuna, hojas verdes de mostaza, mostaza espinaca, col verde)	20	14	3
Fresas	20	14	3
Plantas ornamentales	20	21	6

ALMACENAMIENTO Y ELIMINACION

No contamine el agua, los alimentos o el forraje al almacenar y eliminar.

ALMACENAMIENTO DEL PESTICIDA: Este producto puede ser dañino para niños y fatal para perros y otros animales domésticos si es ingerido. Los perros han sido conocidos por ingerir metaldehído después de abrir o romper sus empaques. Almacene el producto en el empaque original en un lugar fresco y seguro, y manténgalo fuera del alcance de niños y animales.

ELIMINACION DEL ENVASE: Si está vacío: Evite no rellenable. No vuelva a utilizar ni llenar este envase. Cóloquelo en la basura o recíclolo, si es posible. Si está parcialmente lleno: Llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en un drenaje interior o exterior.

AVISOS DE PRECAUCION

PELIGRO PARA HUMANOS Y ANIMALES DOMESTICOS

PRECAUCION: Dañino si se traga. Dañino si se inhala. Causa irritación moderada de los ojos. Este producto es nocivo si se absorbe por la piel. Evite respirar el polvo. Evite el contacto con la piel, los ojos o la ropa. Lávese bien después de manipular el producto y antes de comer, beber, mascar chicle, usar tabaco o ir al baño. Deje quitarse y lavar la ropa contaminada antes de volver a usarla.

IMPORTANTE: Este producto puede ser dañino para niños y fatal para animales domésticos si es ingerido. Los niños y los perros pueden sentirse atraídos a los productos de metaldehído y sus empaques. Mantenga a los niños y mascotas fuera del área tratada desde el comienzo de la aplicación hasta que el producto aplicado ya no este visible.

PRIMEROS AUXILIOS

SI SE TRAGA	<ul style="list-style-type: none"> Llame inmediatamente a un centro de control de envenenamiento o un médico para obtener recomendaciones de tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso con agua. No induzca el vómito a menos que así se lo indique el centro de control de envenenamientos o el médico. No administre nada por boca a una persona que haya perdido el conocimiento.
SI SE INHALA	<ul style="list-style-type: none"> Lleve a la persona al aire fresco. Si la persona no respira, llame al 911 o a una ambulancia, luego dé respiración artificial, preferiblemente de boca a boca, si es posible. Llame al centro de control de envenenamientos o al médico para obtener recomendaciones adicionales de tratamiento.
SI ENTRA EN LOS OJOS	<ul style="list-style-type: none"> Mantenga los ojos abiertos y enjuague con agua lentamente y con cuidado, durante 15 a 20 minutos. Si tuviera lentes de contacto, quíelos después de lavarse con agua los primeros 5 minutos y después continúe lavando el ojo. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.
SI ENTRA EN CONTACTO CON LA PIEL O LA ROPA	<ul style="list-style-type: none"> Quítese la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Línea directa de atención para envenenamientos: Busque atención médica lo más pronto posible después de estar expuesto. Para incidentes que involucren animales, busque atención veterinaria lo más pronto posible después de la exposición. Tenga a mano el envase del producto o la etiqueta cuando llame al centro de control de envenenamientos o al médico o veterinario, o al buscar tratamiento. Para información sobre este producto pesticida (incluyendo preocupaciones de salud, emergencias médicas, asesoramiento sobre el tratamiento o información sobre incidentes con pesticidas) llame al Centro Nacional de Telecomunicaciones sobre Pesticidas al 1-800-858-7378.

El metaldehído es una toxina sistémica. No existe un antídoto. Las siguientes instrucciones están destinadas solamente para profesionales de la salud. No existe un tratamiento en casa. Las personas y animales que hayan sido expuestos al producto deben recibir cuidado de emergencia tan pronto como sea posible.

Nota para el médico: La inhalación de polvo es la ruta habitual de exposición accidental, el producto rara vez se ingiere. El tratamiento es sintomático y de apoyo. Vigile estrechamente las exposiciones severas: se han reportado convulsiones, alteraciones electrofisiológicas, acidosis, deshidratación y un aumento en la temperatura corporal.

Nota para el veterinario: Los animales típicamente están expuestos a través de la ingestión. El tratamiento es sintomático y de apoyo. Si sospecha que ha ocurrido una ingestión considerable, y el animal se encuentra asintomático, considere inducir la emesis o aplicar un lavado gástrico y la administración de carbón activado, catárticos y enemas para limitar la absorción. Monitoree cuidadosamente a los animales con síntomas y los asintomáticos. Proporcione tratamiento para convulsiones, alteraciones electrofisiológicas, acidosis, deshidratación y aumento en la temperatura corporal. Monitoree la función hepática después de la recuperación.

RIESGOS AMBIENTALES

Este producto es tóxico para aves, mamíferos y moluscos (por ejemplo, almejas, ostrías, veneras, mejillones). No aplicar el producto cerca del agua (incluyendo estanques) ni drenajes para tormentas. No aplicar el producto si se han pronosticado fuertes lluvias. Aplique este producto solamente alrededor de jardines y plantas ornamentales. No contamine el agua al deshacerse del agua que usó para limpiar el envase o el equipo. Recogie y entre cualquier producto que se derrame.



Questions, Comments or Medical Information?
Preguntas, comentarios o información médica?
Call 1-800-225-2883

Notice: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions.

The ORTHO® Guarantee: If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

©2013 The ORTHO Group. World rights reserved.

Sold by The ORTHO Group

P.O. Box 190, Marysville, OH 43040

EPA Reg. No. 71096-7-239

EPA Est. No. 66876-0R-01

Made in USA

62576

EPA Reg No. 71096-7-239 (21b)
Ortho Bug-Geta Snail & Slug killer 1