

4 1/2

5 13/32

1 7/16

No Need to Touch the Bait



HOME DEFENSE[®] MAX[™]

No TOUCH BAIT STATION,

Estacion de cebado sin contacto

GUARANTEED* To Kill MICE!



2
PRE-FILLED
STATIONS



- COVERED DESIGN

NET WEIGHT/PESO NETO 2 disposable bait stations containing 1.4 oz (40 grams) bait

THIS BAIT STATION IS NOT TAMPER RESISTANT. USE INDOORS ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS.

KEEP OUT OF REACH OF CHILDREN
CAUTION See back panel for additional precautionary statements.

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCION Consulte el folleto en el panel posterior para conocer los avisos de precaucion adicionales.

Active Ingredient: chlorophacinone... 0.005%
Inert Ingredients... 99.995%
Total100.000%

© 2009 Licensed by The ORTHO Group.
Manufactured for The ORTHO Group
P.O. BOX 190, Marysville, OH 43040
EPA Reg. No. 7173-287-239
EPA Est. No. 7173-WI-11, 84064-1A-001*, 085652-OH-1**
Superscript is first letter of lot number.

CR01811F000



ORTHO[®]
HOME DEFENSE[®]
MAX[™]
No Touch BAIT STATION,

SIMPLE, EASY TO USE / SIMPLES Y FÁCILES DE USAR



Perfect for kitchens, bathrooms, basements and laundry rooms.
 Ideal para cocinas, baños, sótanos y lavaderos



No set-up. Pre-filled bait station.
 No necesita preparación. Estación de cebado precargada.



Kills Mice – Dead!
 Mata ratones: sin excepción

PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals

CAUTION: Keep away from children, domestic animals and pets. May be harmful if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Avoid contact with eyes, skin or clothing. Wear gloves when retrieving dead animals. Wash arms, hands and face with soap and water after applying and before eating and smoking.

FIRST AID



Have this label with you when obtaining treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Note to Physician or Veterinarian: Contains chlorphacinone, an anticoagulant. For humans or dogs that have ingested this product, or have obvious poisoning symptoms (bleeding) or prolonged prothrombin times, give Vitamin K₁ by intramuscular or oral administration. Check prothrombin time every 3 days until values return to normal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten the bait. Do not apply directly to water.



Questions, Comments or Medical Information
 Preguntas, Comentarios o Información Médica
www.OrthoHomeDefense.com 1-800-225-2883



WARRANTY: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

* Satisfaction guaranteed or your money back. If for any reason you are not satisfied with this product, mail us proof of purchase to obtain full refund of your purchase.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL and follow all use directions and use precautions.

USE RESTRICTIONS: THIS BAIT STATION IS NOT TAMPER-RESISTANT. DO NOT USE THIS PRODUCT OUTDOORS, OR IN AREAS ACCESSIBLE TO CHILDREN, PETS, DOMESTIC ANIMALS, OR NONTARGET WILDLIFE. This product may only be used to control house mice inside homes. For use in non-food/non-feed areas. Do not contaminate human or pet food preparation items or areas. Do not place near or inside ventilation duct openings. **Selection of Treatment Areas:** Determine areas where mice will most likely find and consume bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors or walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Remove bait station from package and place in horizontal position with side against wall, exposing entrance. Space stations 8 to 12 feet apart along walls or in corners where mice or their signs have been seen. Placements not touched after three days should be moved to new locations where mouse activity is evident. Maintain a constant supply of fresh bait for 15 days or until signs of house mouse activity cease. Replace bait stations if contents are consumed or contaminated. Wearing gloves, collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment.

STORAGE AND DISPOSAL: This is a nonrefillable container.

Pesticide Storage: Store in original container in a cool, dry place inaccessible to children and pets. **Pesticide disposal and container handling: If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

15 1/16
 13 3/32
 3 7/16

37/16
17/16

PRECAUCIONES

Peligroso para humanos y animales domésticos

PRECAUCIÓN: Mantenga el producto alejado de niños, animales domésticos y mascotas. En caso de ser ingerido o entrar en contacto con la piel, puede ser perjudicial para la salud, ya que reduce la capacidad de coagulación de la sangre y provoca hemorragias. Use guantes al retirar los animales muertos. Evite el contacto con la piel, los ojos o la ropa. Después de colocar el producto y antes de fumar o ingerir alimentos, lávese los brazos, las manos y la cara con agua y jabón.

PRIMEROS AUXILIOS

En caso de recibir asesoramiento sobre el tratamiento, recuerde llevar esta etiqueta con usted.

Si se ingiere: Consulte a un médico o a un centro de control de envenenamientos inmediatamente para obtener asesoramiento sobre el tratamiento. Si la persona puede tragar, haga que beba poco a poco un vaso de agua. No induzca el vómito a menos que así se lo indique un médico o un centro de control de envenenamientos. No administre nada por boca a una persona que haya perdido el conocimiento.

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague lentamente con agua y con cuidado, durante 15 a 20 minutos. Si usa lentes de contacto, retírelos después de los primeros 5 minutos y luego continúe enjuagando los ojos. Consulte a un médico o a un centro de control de envenenamientos para obtener asesoramiento sobre el tratamiento.

Si entra en contacto con la piel o la ropa: Qítense la ropa contaminada. Lave inmediatamente la piel con abundante agua durante 15 a 20 minutos. Consulte a un médico o a un centro de control de envenenamientos para obtener asesoramiento sobre el tratamiento.

Advertencia para el médico o el veterinario: Contiene clorofacinon, que es una sustancia anticoagulante. Si una persona o un perro ingiere el producto, muestra síntomas obvios de envenenamiento (hemorragia) o presenta un tiempo de protrombina bajo, se le debe administrar vitamina K₁ por vía oral o intramuscular. Controle el tiempo de protrombina cada 3 días, hasta que los valores sean normales.

PELIGRO DE CONTAMINACION: Este producto es tóxico para los peces y los animales silvestres. Las aves y los mamíferos predadores o carroñeros pueden resultar envenenados si se alimentan de animales que han ingerido el cebo. No aplique directamente en el agua.

GARANTIA:

Conforme a los límites de la ley aplicable, el comprador asume toda responsabilidad por la seguridad y el uso que no concuerden con las instrucciones.

* Satisfacción garantizada o le devolvemos su dinero. Si por algún motivo no está satisfecho con este producto, envíenos por correo el comprobante de compra para recibir el reembolso total del precio de compra.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto con otros fines que los indicados en la etiqueta.

LEA ESTA ETIQUETA y siga todas las instrucciones y las precauciones de uso.



RESTRICCIONES DE USO: ESTA ESTACION DE CEBADO NO ES RESISTENTE A LA MANIPULACION. NO UTILICE ESTE PRODUCTO EN AREAS EXTERIORES, AREAS ACCESIBLES PARA NIÑOS, MASCOTAS, ANIMALES DOMESTICOS O ANIMALES SILVESTRES QUE NO SEAN OBJETO DE ELIMINACION. Este producto sólo puede utilizarse para controlar plagas de ratones domésticos en hogares. Para utilizar en áreas donde no se almacenan ni consumen alimentos. No contamine los alimentos ni las áreas de preparación de alimentos para personas o mascotas. No lo coloque cerca o en el interior de aberturas de conductos de ventilación.

Selección de las áreas de tratamiento: Determine las áreas donde sea más probable que los ratones encuentren y coman el cebo. En general, estos lugares son: a lo largo de paredes, junto a aberturas carcomidas, en esquinas y lugares encubiertos, entre pisos o paredes o en lugares donde se hayan visto ratones o donde se observen signos de su presencia. Elimine la mayor cantidad de alimento alternativo posible.

INSTRUCCIONES PARA LA APLICACION: Retire la estación de cebado del paquete y colóquela en forma horizontal, con un lado contra la pared para que quede expuesta la entrada. Coloque las estaciones a una distancia de entre 2.4 y 3.7 m (8 y 12 pies) entre sí, a lo largo de las paredes o en las esquinas donde se hayan visto ratones o donde se observen signos de su presencia. Las estaciones que permanezcan inalteradas luego de tres días deben moverse a nuevas ubicaciones donde haya evidencias de actividad de ratones. Mantenga un suministro constante de cebo por 15 días o hasta que desaparezcan los signos de actividad de ratones. Reemplace las estaciones de cebado si su contenido se consumió o contaminó. Recoja y elimine correctamente todos los animales muertos y el cebo restante usando guantes. Para evitar una nueva plaga, reduzca al máximo las fuentes de alimento, agua y refugio para roedores. En caso de presentarse una nueva plaga, repita el tratamiento.

ALMACENAMIENTO Y ELIMINACION: Este envase no es reutilizable. **Almacenamiento del pesticida:** Almacene el producto en el envase original, en un lugar fresco y seco, inaccesible para niños y mascotas. **Eliminación: Si el envase está vacío:** No lo vuelva a llenar o usar. Colóquelo en la basura o entréguelo para reciclaje, si corresponde.

Si el envase está parcialmente lleno: Llame a su agencia de desechos sólidos para obtener instrucciones sobre cómo eliminar el producto. Nunca elimine el producto no utilizado en drenajes internos o externos.

 Questions, Comments or Medical Information
Preguntas, Comentarios o Información Médica
www.OrthoHomeDefense.com 1-800-225-2883 

Copy that will go on bottom of bait station

Minimum
Copy Size: **6 pt**
KEEP: 6 pt
CAUTION: 12 pt

1-1/4"

Ortho® Home Defense Max® No Touch Bait Station, Kills Mice!	
KEEP OUT OF REACH OF CHILDREN CAUTION See outer package label for precautionary statements, first aid information and directions for use. Net Weight: 0.7 oz (20g)	Active Ingredient: chlorophacinone... 0.005% Inert Ingredients..... 99.995% Total..... 100.000% ©2009 Licensed by The ORTHO Group. World rights reserved. Manufactured for The ORTHO Group P.O. Box 190 Marysville, OH 43040
	THIS BAIT STATION IS NOT TAMPER-RESISTANT. USE INDOORS ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS. L02384EM000 EPA Reg. No. 7173-287-239 EPA Est. No. 7173-WI-1, 84064-1A-001, 085652-OH-1* Superscript is first letter of lot number.

3-1/4"

EPA Reg No. 7173-287-239

Ortho Home Defense Max No Touch Bait Station I