

**JT EATON™**

# KILLS HOUSE MICE

THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN

Use Indoors Only

**2**

## DISPOSABLE MOUSE POISON BAIT STATIONS

**ACTIVE INGREDIENT:**  
 Bromethalin (CAS No. 63333-35-7) ... 0.01%  
**OTHER INGREDIENTS** ..... 99.99%  
**TOTAL** ..... 100.00%

**KEEP OUT OF REACH OF CHILDREN**

**NET CONTENTS:**  
 2 READY-TO-USE BAIT STATIONS  
 1 x 0.5 oz. BLOCK per BAIT STATION

**CAUTION**  
 SEE SIDE/BACK PANELS FOR ADDITIONAL  
 PRECAUTIONARY STATEMENTS

**ITEM #932**

### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Non-refillable container. Do not reuse or refill this container.

**If Empty:** Place in trash or other for recycling if available; **if partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE OF WARRANTY** • Buyer assumes all responsibility for safety and use not in strict accordance with directions for use.

### DIRECTIONS FOR USE CONTINUED

**SELECTION OF TREATMENT AREAS:** Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:** The active ingredient in this product is different from anticoagulant rodenticides. Individual house mice cease feeding after consuming a toxic dose.


**House Mice:** Place a single unit at each placement location. Space placements at 8 to 12 foot intervals. Replace units if contents are consumed or contaminated, or if units are severely damaged. If units are untouched after three days, move to new locations consistent with label text. Continue baiting until all signs of house mouse activity have ceased.

**FOLLOW UP:** Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and dispose of all dead, exposed animals and leftover bait properly. To prevent reinfestation, limit sources of food, water, and harborage for house mice as much as possible. If reinfestation does occur, repeat treatment.

07/18/2011/08.29.2011 • FNW932002JTA

Mfg. by:  
**J.T. EATON & CO., INC.**  
 Twinsburg, OH 44087  
 • U.S.A. •  
 www.jteaton.com





House Mice usually consume a lethal dose in a single night's feeding, but it may take two or more days for them to die.  
 Due to Stop Feed  
 Action, house mice cease feeding after consuming a toxic dose.  
 This product is effective against anticoagulant-resistant house mice.



**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves. Wash hands immediately after such activities.

**FIRST AID**

Have product container or label with you when calling a Poison Control Center or doctor for treatment. You may also contact the Hot Line Number at 1-800-345-4735 for health concerns, emergency medical treatment information or pesticide incidents.

**IF SWALLOWED**

- Call a Poison Control Center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
- Do not give anything by mouth to an unconscious person.

**IF IN EYES**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye.
- Call a Poison Control Center or doctor for treatment advice.

**IF ON SKIN OR CLOTHING**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15 to 20 minutes.
- Call a Poison Control Center, doctor or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

**TREATMENT FOR PET POISONING**

If an animal eats this bait, call a veterinarian at once.

**NOTE TO PHYSICIAN OR VETERINARIAN**

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

**ENVIRONMENTAL HAZARDS**

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use this product only for sites, pests, and application methods described on this label.

**IMPORTANT:** DO NOT EXPOSE CHILDREN, PETS, OR OTHER NONTARGET ANIMALS TO RODENTICIDES. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may only be used to control House Mice inside of homes and residential buildings. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS. Do not place this ready-to-use bait station in any area where there is a possibility of contaminating food or surfaces that come into contact with food. Do not place near or inside ventilation duct openings. Do not break station and/or deliberately remove bait from it.

DIRECTIONS FOR USE CONTINUED ON SIDE PANELS