



Howard Johnson's CRABGRASS CONTROL PLUS WITH 0.37% BARRICADE®

FOR SELECTIVE PERSISTENT CONTROL OF GRASS & BROADLEAF WEEDS IN LAWNS AND ORNAMENTAL TURF GRASSES (EXCLUDING GOLF COURSE PUTTING GREENS), LANDSCAPE ORNAMENTALS, ESTABLISHED PERENNIALS & WILDFLOWER PLANTINGS. STOPS MANY UGLY WEED GRASSES BEFORE THEY GROW. PREVENTS CRABGRASS, ANNUAL BLUEGRASS, FOXTAIL, & MORE.

ACTIVE INGREDIENT: Proflumarone (N,N-Di-*n*-propyl-2,4-dinitro-6-(difluoromethyl)-*m*-phenylenediamine) 0.37% OTHER INGREDIENTS 99.63% TOTAL 100.00%

EPA Reg. No. 32802-66 EPA Est. No. 59144-GA-1 (AL) 32802-GA-1 (FL) 37351-GO-1 (CA) 8378-04-1 (TX) 8484-FL-1 (TX)

First letter of bag code shows establishment where manufactured.

BARRICADE® is a registered trademark of SynGene Crop Protection, Inc. Manufactured for: Howard Johnson's Enterprises, Inc. 9675 S 60th Street, Franklin, WI 53122

Read the entire "Directions for Use" and "Warning Statements" before using this product. If terms are not acceptable, return the unopened product container at once to the seller. Agricultural Chemical. Do not apply or store with food, feed, drugs or clothing.

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Causes moderate eye injury (irritation). Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Prolonged or repeated skin contact with product may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS: This product has low solubility in water. At the limits of solubility, this product is not toxic to fish. However, at concentrations above the level of water solubility, it may be toxic to fish. Do not apply directly to water to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Table with 2 columns: Exposure Route and First Aid. Rows include: In or near eyes, In or on skin, Inhaled, and Have the product container or label with you when calling a poison control center or doctor.

GUARANTEED ANALYSIS table showing Total Nitrogen (N) 19%, Soluble Potash (K2O) 6%, and Derived From: MURIATE OF POTASH, POLYMER COATED UREA, UREA. Includes F315 and Chlorine (Cl) 6.00%.

Bulk Density Item Number 62 FGB80953

Net Weight 50 lbs (22.70 kg)

Information regarding the contents and levels of matter in the product is available on the internet at http://www.eagleagrochemical.com

RECOMMENDATION FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use for use on plants being grown for sale or other commercial use, for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or ornamental modification and being grown in ornamental gardens or parks, or on golf courses or lawns and grounds. This product is a selective pre-emergence herbicide that provides residual control of many grass and broadleaf weeds in established lawns and ornamentals but not on plants being grown for sale or other commercial use.

APPLY TO ESTABLISHED TURF: The product must be applied prior to germination of weed seeds, as it will not control established weeds. APPLICATION DIRECTIONS: Apply this product uniformly, using a suitable equipment that has been properly calibrated. Make proper weed control will be achieved when this product is activated by at least 0.5 inch of rainfall or irrigation, or with water to 2 inches depth, prior to weed seed germination and will in 14 days after application.

Table with 2 columns: Turf Species and Minimum and Maximum Application Rates (by Turf Grass Species/ Maximum Annual Rate). Lists species like Bahiagrass, Bermudagrass, Zoysiagrass, etc.

Table with 2 columns: Turf Species and Application Rates. Lists species like Bahiagrass, Bermudagrass, Zoysiagrass, etc.

These are the minimum rates for each species. May be used on newly sodded or plugged Bermudagrass at rates not to exceed 3.5 lb/1000 square feet. Apply only after rainfall or irrigation. Do not apply to wet surfaces. Do not apply to wet surfaces.

Table with 2 columns: Turf Species and Application Rates. Lists species like Bahiagrass, Bermudagrass, Zoysiagrass, etc.

Do not apply to newly sodded or plugged Bahiagrass at rates not to exceed 3.5 lb/1000 square feet. Apply only after rainfall or irrigation. Do not apply to wet surfaces. Do not apply to wet surfaces.

Do not apply to newly sodded or plugged Bahiagrass at rates not to exceed 3.5 lb/1000 square feet. Apply only after rainfall or irrigation. Do not apply to wet surfaces. Do not apply to wet surfaces.

APPLICATION LIMITS: Certain states have laws on application rates and timing. Consult your local State Cooperative Extension Service for current information on application rates for turfgrass herbicides in your area.

Do not apply to newly sodded or plugged Bahiagrass at rates not to exceed 3.5 lb/1000 square feet. Apply only after rainfall or irrigation. Do not apply to wet surfaces. Do not apply to wet surfaces.

Do not apply to newly sodded or plugged Bahiagrass at rates not to exceed 3.5 lb/1000 square feet. Apply only after rainfall or irrigation. Do not apply to wet surfaces. Do not apply to wet surfaces.

Table with 2 columns: Turf Species and Application Rates. Lists species like Bahiagrass, Bermudagrass, Zoysiagrass, etc.

Do not apply to newly sodded or plugged Bahiagrass at rates not to exceed 3.5 lb/1000 square feet. Apply only after rainfall or irrigation. Do not apply to wet surfaces. Do not apply to wet surfaces.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. PESTICIDE STORAGE: Store in original container in a locked storage area out of reach of children and domestic animals. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Warranty: The distributor for use of this product are believed to be adequate and most followed carefully. It is impossible to eliminate all risks inherent in associated with the use of this product. Crop injury, phytotoxicity, or other undesirable consequences may result due to the use of this product. Do not apply to wet surfaces. Do not apply to wet surfaces.